



DOVRE

2024-2025

About us





A broad range of cosiness

Staring at dancing flames in front of you, while warming yourself in front of your own stove or fireplace... so relaxing.

Dovre offers you a broad range of cosiness, with modern, timeless, or traditional stoves

Everything we create comes in premium grade cast iron.

Dovre's renewed heating technology offers dual combustion, guaranteeing high efficiency and less suspended particles. The result: an improved heat production and a cleaner and more environmentally friendly combustion.





**When you choose an advanced
Dovre wood stove or fireplace, you
embrace the loveliness of 'cosy'.**

On top of that, the technology Dovre uses
keeps your energy budget under control.



Dovre as a brand

Did you know Dovre is the name of a mountain range in Central Norway? Legend says the Founding Fathers of the Norwegian constitution declared that Norway would continue to exist "til Dovre faller" ("until the Dovre mountains fall").

**The Dovre mountains
are synonymous with
being big, wide, solid,
long-lasting, mysterious,
extreme weather-resistant
and surrounded by legend.**





Born in Norway, raised in Belgium

1933

Establishment of the 'Dovre Peisen' ('Dovre Fireplaces') company, in Norway. Cast iron parts bought from the ULEFOS foundry, founded in 1657. Portfolio limited to 4 fireplaces: 2 heights only, either with stripes or the legend of bucks and goats on the back wall.

1958

Leon Gehem (father of the current owner, Tom) travels to Norway as part of his job with Eurochemic, an international consortium active in nuclear energy. He gets acquainted with Norwegian culture and customs, notably the cosiness of Dovre fireplaces.

1962

Leon's job leads him to Belgium.

1964

Leon installs a Dovre fireplace in his new house, directly imported from Norway. Shortly after he decides to import DOVRE fireplaces as a side job.

1972

The nuclear energy business slows down and Leon leaves Eurochemic. He acquires the Dovre sales rights for the Benelux and sets up a real warehouse where limited assembly work begins.





1973

The first oil crisis skyrockets the sales of wood-burning fireplaces (and stoves).

1976

Purchase of the current HQ site in Weelde, in a former fertiliser factory. A showroom, offices, R&D lab and assembly hall are built. At that time, Dovre Peisen sources its castings from various foundries in Europe.

1980

Buyout of the Norwegian company, making Dovre a 100% Belgian.

1981

Construction of the Dovre foundry in Weelde to become independent from castings suppliers who cannot keep up in terms of capacity. At that time, the first Dovre stoves are born: the iconic models 100, 300 and 342.

Since then, Dovre has never stopped evolving its stoves and fireplaces portfolio, to warm you up.



Present


Today, we export our products worldwide through our network in more than 20 countries to supply our different local markets.

We develop, produce, and sell our own Dovre products: high-quality cast iron wood stoves and fireplaces. We also produce advanced cast iron Ferleon barbecues and cookware. Additionally, our foundry and factory produce a lot of products for third parties.

The Dovre brand is internationally renowned and recognised for its quality, solidity, robustness, and innovations in heating technology, with highly efficient, environmentally friendly engineered products for demanding end-users and markets.

We strive to set the standard for ultimate living experiences.

So, have a look at the various shapes of cosiness we can offer you!



Stoves

Dovre offers you a broad range of modern, timeless, or traditional stoves, made from premium cast iron, using state-of-the-art production techniques. Indeed, Dovre designs make a stylish feature in any interior. And since a stove is free-standing, it literally offers you the best and cosiest warmth 'around'.

Wood

The Dovre range consists mainly of wood-burning stoves, with superior heating technology, guaranteeing environmentally responsible combustion and high efficiency.

Multi-fuel

Dovre also offers a range of 'multi-fuel' stoves, which can burn wood, briquettes, and coal.







A modern living room interior. In the foreground, a round wooden coffee table with thin metal legs holds a lit candle in a glass holder and some pinecones. A striped rug is partially visible. In the background, a wood-burning stove is visible, and a large, dried, reddish-brown branch stands to the left. The wall is a light, textured grey.

Saga

Saga is a series of wood stoves with a rounded design, named after the old Norwegian legend of 'The Three Billy Goats'. The Saga 101 and 107 are compact stoves with a large window for a broad view of the fire. The Saga 301, the largest in the series, offers maximum warmth and an XXL view.

The Saga 207 combines the sleek look and side view of the SAGA107 but is larger for more heat, yet smaller than the SAGA301.

All Saga stoves have single air control and can be connected to outside air.

[🔗 Click here for more information](#)

Saga

A wood stove with a rounded design.



The saga of
'The Three Billy
Goats'

Rounded design





SAGA 101 [↗](#)

WxHxD: 415 x 730 x 580 mm
Length of wood logs: 35 cm
Nominal output: 7 kW



SAGA 107 [↗](#)

WxHxD: 415 x 730 x 580 mm
Length of wood logs: 35 cm
Nominal output: 7 kW



SAGA 207 [↗](#)

WxHxD: 595 x 740 x 392 mm
Length of wood logs: 40 cm
Nominal output: 8,5 kW



SAGA 301 [↗](#)

WxHxD: 720 x 740 x 535 mm
Length of wood logs: 50 cm
Nominal output: 10 kW

Rock

The Rock model is a robust and modern looking wood-burning stove with rounded edges. It is easy to operate via its single air control. The 'slam-lock' closing mechanism makes it possible to slam the door to close it. The Rock is directly connectable to outside air.

[Click here for more information](#)






Rock

A robust and modern wood stove.



Innovative
'slam-lock' closing
mechanism



ROCK 350TB [↗](#)

WxHxD: 510 x 745 x 375 mm
Length of wood logs: 35 cm
Nominal output: 7 kW



ROCK 350WB [↗](#)

WxHxD: 510 x 745 x 375 mm
Length of wood logs: 35 cm
Nominal output: 7 kW



ROCK 500TB [↗](#)

WxHxD: 660 x 745 x 375 mm
Length of wood logs: 50 cm
Nominal output: 9 kW



ROCK 500WB [↗](#)

WxHxD: 660 x 745 x 375 mm
Length of wood logs: 50 cm
Nominal output: 9 kW





Bold

The Bold features a distinctive round and monolithic design of typical modern stoves. It is very easy to use, thanks to its innovative 'slam-lock' closing system that allows you to close the door by slamming it. The stove is also equipped with a single air control and can be directly connected to outside air.

[🔗 Click here for more information](#)

Bold

A modern wood stove.



Single air control
by rotative disk

Round and
monolithic design





BOLD 300 [↗](#)

WxHxD: 490 x 1010 x 420 mm
Length of wood logs: 35 cm
Nominal output: 7 kW



BOLD 400 [↗](#)

WxHxD: 490 x 1130 x 415 mm
Length of wood logs: 35 cm
Nominal output: 7 kW

Sense

The Sense has a particularly elegant finish, thanks to its curved lines and a 3-sided view on the flames. It is directly connectable to outside air. The Sense has a 'slam-lock' closing mechanism which allows you to slam the door to close it. The stove can easily be operated via its single air control. The smaller models Sense 103 and Sense 203 are especially suited for low energy houses, thanks to their high efficiency and small nominal output.

[🔗 Click here for more information](#)





Sense

A modern wood stove.



Innovative
'slam-lock' closing
mechanism

Sense 103
on short legs
as an option



SENSE 103 [↗](#)

WxHxD: 470 x 900 x 360 mm
Length of wood logs: 33 cm
Nominal output: 7 kW



SENSE 203 [↗](#)

WxHxD: 470 x 980 x 360 mm
Length of wood logs: 33 cm
Nominal output: 7 kW



SENSE 303 [↗](#)

WxHxD: 555 x 1060 x 440 mm
Length of wood logs: 40 cm
Nominal output: 9 kW



SENSE 403 [↗](#)

WxHxD: 555 x 1160 x 440 mm
Length of wood logs: 40 cm
Nominal output: 9 kW





Bow

The Bow's oval design and elegantly curved cast iron door ensure a large panoramic view on the fire. The Bow series comes in a version on pedestal or wood box. The Bow can be easily operated via its single air control.

[Click here for more information](#)

Bow

A modern, oval-shaped wood stove.



Oval design

Curved glass door





BOW/P [↗](#)

WxHxD: 700 x 870 x 460 mm
Length of wood logs: 50 cm
Nominal output: 9 kW



BOW/WB [↗](#)

WxHxD: 700 x 865 x 460 mm
Length of wood logs: 50 cm
Nominal output: 9 kW

Astro

The Astro is a model with a vertical combustion chamber. The design is contemporary, without compromising on functionality. Its direct outside air connection maintains a delicate balance between ventilation and airing. After heating, external combustion air is fed directly into the combustion chamber, resulting in clean and safe combustion.

[Click here for more information](#)





Astro

A modern, contemporary wood stove.



Detail door
handle Astro 2

Detail air slider
Astro 4





ASTRO 2/L [↗](#)

WxHxD: 520 x 890 x 450 mm
Length of wood logs: 30 cm
Nominal output: 7 kW



ASTRO 4CB/P [↗](#)

WxHxD: 475 x 1140 x 430 mm
Length of wood logs: 25 cm
Nominal output: 8 kW





Brut

The Brut is a robust, industrial-looking stove designed without frills. It has a high, large glass door, drawing attention to the flames. When installing the stove, you can either install it on short or long legs.

[Click here for more information](#)


Brut

A robust-looking wood stove.



Side view

Door handle





BRUT long legs [↗](#)

WxHxD: 460 x 980 x 395 mm
Length of wood logs: 35 cm
Nominal output: 6.5 kW



BRUT short legs [↗](#)

WxHxD: 460 x 825 x 395 mm
Length of wood logs: 35 cm
Nominal output: 6.5 kW

Vintage

The Vintage series has a brilliant retro look, a 'television' shape, and soft, rounded edges. This wood stove has a removable handle and can be directly connected to outside air.

[Click here for more information](#)






Vintage

A modern television-shaped wood stove.



Vintage
'detachable'
door handle

Stove on 4
unique legs





VINTAGE 35 [↗](#)


WxHxD: 505 x 685 x 445 mm
Length of wood logs: 35 cm
Nominal output: 7 kW



VINTAGE 50 [↗](#)

WxHxD: 690 x 690 x 445 mm
Length of wood logs: 50 cm
Nominal output: 9 kW





540

The '540' model is the smallest version of Dovre's 'Classic' bestseller. It is equipped with a direct outside air connection and can easily be operated via its single air control.

[Click here for more information](#)

540

A classic wood stove.



Classic door
handle

Detail top plate





540W [↗](#)

WxHxD: 540 x 740 x 475 mm
Length of wood logs: 35 cm
Nominal output: 6.5 kW

640

The '640' model is the middle size version of Dovre's 'Classic' bestseller. The stove comes with a single air control, a direct outside air connection, and a side loading door.

[Click here for more information](#)





640

A classic wood stove with side loading door.



Single air control

Side details





640WD [↗](#)

WxHxD: 660 x 760 x 565 mm
Length of wood logs: 45 cm
Nominal output: 10 kW





760

The '760' model is the largest size version of Dovre's 'Classic' bestseller. The stove comes with a single air control, a direct outside air connection and a side loading door.

[Click here for more information](#)


760

A classic wood stove with
side loading door.



Single air control

Detail top plate





760WD [↗](#)

WxHxD: 780 x 800 x 565 mm
Length of wood logs: 55 cm
Nominal output: 12 kW

Tai

The Tai stands for simplicity and reliability, thanks to its austerity, both in design and in features. If you opt for high efficiency and warmth at an affordable price, you will definitely find what you are looking for in the Tai family. The Tai multi-fuel model, with its coal funnel, can provide up to 36 hours of autonomy.

[🔗 Click here for more information](#)





Tai

A simple and reliable wood stove.



Tai on short legs
as an option

Optional
cooking plate and
ornamental cover,
only for TAI55MD



TAI 35WT [↗](#)

WxHxD: 520 x 785 x 400 mm

Length of wood logs: 35 cm

Nominal output: 6.5 kW



TAI 45WD [↗](#)

WxHxD: 615 x 800 x 425 mm
Length of wood logs: 45 cm
Nominal output: 9 kW



TAI 55WD [↗](#)

WxHxD: 715 x 800 x 425 mm
Length of wood logs: 55 cm
Nominal output: 11 kW



TAI 55MD [↗](#)

WxHxD: 715 x 800 x 465 mm
Length of wood logs: 55 cm
Nominal output: 11 kW





325/525

Both the '325' and '525' models have a unique shape that complements any modern, classic, or rustic interior. Both models are directly connectable to outside air.


[🔗 Click here for more information](#)

325/525

A wood stove with a unique shape that complements both modern, classic as rustic interiors.



Door handle
'525CB'





325CB [↗](#)

WxHxD: 465 x 655 x 490 mm
Length of wood logs: 30 cm
Nominal output: 6 kW



525CB [↗](#)

WxHxD: 525 x 750 x 475 mm
Length of wood logs: 40 cm
Nominal output: 8 kW

250/425

Looking for a 'Classic' design with a more traditional look & feel? Consider the '250M' or its slightly bigger brother, the '425M'. Both are multi-fuel stoves that will fit into any interior. They can burn both briquettes, coal, and wood.

[🔗 Click here for more information](#)





250/425

A classic multi-fuel stove that will fit into any interior.



Detail '425M'

Air slide





250M [↗](#)

WxHxD: 455 x 645 x 405 mm
Length of wood logs: 30 cm
Nominal output: 6 kW



425M [↗](#)

WxHxD: 550 x 765/845 x 445 mm
Length of wood logs: 40 cm
Nominal output: 8 kW





100/300/40

This series is part of the 'Nordic' range, featuring reliable wood stoves with traditional 'Norwegian saga' cast-iron side panels. For these heritage-looking stoves, you can opt for impressive optional chimney pieces.

[Click here for more information](#)


100/300/40

Traditional 'Norwegian' wood stoves.



Loading door

Details '100CBS'





100CBS [↗](#)

WxHxD: 515 x 620 x 340 mm
Length of wood logs: 30 cm
Nominal output: 5 kW



101CBS [↗](#)

WxHxD: 515 x 620 x 340 mm
Length of wood logs: 30 cm
Nominal output: 5 kW



300CB [↗](#)

WxHxD: 810 x 730 x 365 mm
Length of wood logs: 60 cm
Nominal output: 9 kW



40CBS [↗](#)

WxHxD: 600 x 715/775 x 350 mm
Length of wood logs: 40 cm
Nominal output: 6 kW



Fireplaces

Nothing can really match the splendour of real flames. People have been warming themselves in front of an open fire for centuries. The dancing flames have a huge attraction to us.

A fireplace nowadays offers an alternative to a traditional open fire. Modern combustion techniques ensure that your 'closed' fire becomes a very functional and environmentally conscious way of heating and burning. Thanks to highly efficient combustion, you have much more control over fuel consumption and pollutant emissions.

Our insert fireplaces can be slid into the opening of an existing fireplace, without structural work.





Vista i

A Vista i built-in fireplace uses today's most refined combustion techniques to transform any existing open fireplace into a more environmentally friendly closed fireplace. For the interior lining, you have the choice between slat-shaped cast iron or vermiculite stones. The finishing touch is a 4 mm or 25 mm frame.

[Click here for more information](#)


Vista i

An insert with a vermiculite or cast-iron interior as an option.



Vista 701i & 801i:
cast iron interior

Vista 702i &
802i: vermiculite
interior





VISTA 701i & 702i [↗](#)

WxHxD: 690 x 490 x 440 mm
Length of wood logs: 50 cm
Nominal output: 10 kW



VISTA 801i & 802i [↗](#)

WxHxD: 790 x 590 x 440 mm
Length of wood logs: 60 cm
Nominal output: 11 kW

2575

The '2575' is fully made of cast iron and is equipped with a panoramic glass door. With our accessories, you can easily transform this fireplace into a corner or 3-sided model. Thanks to its 'Twin Baffle Plate', the '2575' has a great environmental performance. On top of that, this insert is directly connectable to outside air.

[🔗 Click here for more information](#)





2575

A cast iron insert with a panoramic door.



Detail of
side glass





2575CBS1 (front) [↗](#)

WxHxD: 700 x 600 x 470 mm
Length of wood logs: 50 cm
Nominal output: 10 kW



2575CBS1 (corner) [↗](#) **1 x OMB.2575**

WxHxD: 700 x 600 x 470 mm
Length of wood logs: 50 cm
Nominal output: 10 kW



2575CBS1 (3-sided) [↗](#) **2 x OMB.2575**

WxHxD: 700 x 600 x 470 mm
Length of wood logs: 50 cm
Nominal output: 10 kW





2180

The '2180' built-in fireplace is 'extra-large' and is made entirely of cast iron. It offers a large choice of frames to fit perfectly into any surrounds and is directly connectable to outside air.

[Click here for more information](#)

2180

An 'extra-large' built-in fireplace.



Detail of
'2180 CBS'





2180CBS [↗](#)

WxHxD: 800 x 805 x 473 mm
Length of wood logs: 60 cm
Nominal output: 15 kW

Phoenix

The Phoenix insert is ideal for giving your old open fireplace a contemporary look. It is easy to install and proves to be both ecological and efficient, offering double the heat production with half the wood consumption, when compared to old fireplaces.

The Phoenix offers you an extensive view on the flames and of course it can be installed in any new interior as well.

[Click here for more information](#)






Phoenix

An insert with an angular shaped glass.



Air slider

Fireplace interior





Phoenix [↗](#)

WxHxD: check the Dovre website for more information
on the different Phoenix dimensions.

Length of wood logs: 30 cm

Nominal output: 9 kW





Modern

The Modern 20 series is all about beautiful, sleek inserts with a contemporary design. The glass positioned in front of the cast iron door, creates the impression of a larger insert with a better view on the fire. Several frame sizes are available for the finishing touch.

[Click here for more information](#)

Modern

A modern-looking insert with a cast iron door.



Front door





2120i [↗](#)

WxHxD: 590 x 495 x 455 mm
Length of wood logs: 40 cm
Nominal output: 7 kW



2320i [↗](#)

WxHxD: 690 x 540 x 455 mm
Length of wood logs: 50 cm
Nominal output: 8 kW



2620i [↗](#)

WxHxD: 690 x 600 x 455 mm
Length of wood logs: 50 cm
Nominal output: 10 kW

Robust

The Robust 20 insert series is made entirely of cast iron. The solid front radiates strength, while the large glass provides a full view on the flames. Several frame sizes are available for the finish touch.

[Click here for more information](#)





Robust

A solid-looking cast iron insert.



Front door





2020i [↗](#)

WxHxD: 590 x 495 x 430 mm
Length of wood logs: 40 cm
Nominal output: 7 kW



2220i [↗](#)

WxHxD: 690 x 540 x 430 mm
Length of wood logs: 50 cm
Nominal output: 8 kW



2520i [↗](#)

WxHxD: 690 x 600 x 430 mm
Length of wood logs: 50 cm
Nominal output: 10 kW

Accessories

For most of the Dovre stoves and fireplaces, a multitude of options and accessories are available. Check out our website to discover our most recent offer in accessories like cooking plates, optional frames, legs, heatshields and more.



**Click here to discover the
accessories per device**







Saga



Rock



Bold



Sense



Bow



Astro



Brut



Vintage



540



640



760



Tai



325/525



250/425



100/300/40



Vista i




2575



2180



Phoenix



Modern



Robust



info@dovrefire.com • www.dovrefire.com

As part of our continuing product improvement efforts, the prices, images and specifications of our products may differ from the description given in this brochure without prior notice. Reference number 2024/06 EN - ref. 24.00307.152